Brain Research, 569 (1992) 358–359
Elsevier

Author Index

Aceves, J., see Arias-Montaño, J.A., 317
Akaishi, T. and Homma, S., Hypothalamic osmoregulation for vasopressin release in streptozotocin-diabetic rats in vivo and in vitro, 86
Akiyama, K., Daigen, A., Yamada, N., Itoh, T., Kohira, I., Ujike, H. and Otsuki, S., Long-lasting enhancement of metabotropic excitatory amino acid receptor-mediated polyphosphoinositide hydrolysis in the amygdala/pyriform cortex of deep prepiriform cortical kindled rats, 71
Akiyama, K., see Kanzaki, A., 181
Aksentijevich, S., see Smith, C.C., 295
Albers, H.E., see Hennessey, A.C., 136
Araujo, D.M. and Cotman, C.W., β-Amyloid stimulates glial cells in vitro to produce growth factors that accumulate in senile plaques in Alzheimer's disease, 141
Arias-Montaño, J.A., Martínez-Fong, D. and Aceves, J., Glutamate stimulation of tyrosine hydroxylase is mediated by NMDA receptors in the rat striatum, 317

Barrett, R.K. and Underwood, H., The superior cervical ganglia are not necessary for entrainment or persistence of the pineal melatonin rhythm in Japanese quail, 249
Blatteis, C.M., see Xin, L., 348
Bourdon, V., see Damas, J., 63
Bruno, J.P., see Descarries, L., 1
Butt, A.M. and Jones, H.C., Effect of histamine and antagonists on electrical resistance across the blood–brain barrier in rat brain-surface microvessels, 100

Cairns, A., see Schneiderman, J.H., 287
Cataltepe, O., see Kalayci, Ö., 112
Cataltepe, S., see Kalayci, Ö., 112
Cechetto, D.F., see Oppenheimer, S.M., 221
Chiodera, P. and Coiro, V., Effects of intravenous infusion of substance P on arginine vasopressin and oxytocin secretion in normal men, 173
Chrousos, G.P., see Smith, C.C., 295
Chung, M.C., see Petito, C.K., 275
Coiro, V., see Chiodera, P., 173
Cooper, A.J.L., see Petito, C.K., 275
Cotman, C.W., see Araujo, D.M., 141
Crockett, D.P., see Maslany, S., 123

Daigen, A., see Akiyama, K., 71
Damas, J., Delrée, P. and Bourdon, V., Distribution of immunoreactive T-kininogen in rat nervous tissues, 63
De Blas, A.L., see Ewert, M., 57
Delrée, P., see Damas, J., 63
Descarries, L., Soghomonian, J.-J., Garcia, S., Doucet, G. and Bruno, J.P., Ultrastructural analysis of the serotonin hyperinnervation in adult rat neostriatum following neonatal dopamine denervation with 6-hydroxydopamine, 1
deToledo-Morrell, L., see Geinisman, Y., 341
Deviche, P. and Güntürkün, O., Peptides for calling? An immunohistochemical study of the avian n. intercollicularis, 93
Doucet, G., see Descarries, L., 1
Duncan, M.J. and Mead, R.A., Autoradiographic localization of binding sites for 2-[^{125}I]iodomelatonin in the pars tuberalis of the western spotted skunk (*Spilogale putorius latifrons*), 152

Egger, M.D., see Maslany, S., 123
Ewert, M., De Blas, A.L., Möhler, H. and Seeburg, P.H., A prominent epitope on $GABA_A$ receptors is recognized by two different monoclonal antibodies, 57

Farningham, D.A.H., see Mercer, J.G., 311
Favarato, M., Zatta, P., Perazzolo, M., Fontana, L. and Nicolini, M., Aluminum-(III) influences the permeability of the blood–brain barrier to [^{14}C]sucrose in rats, 330
Fontana, L., see Favarato, M., 330
Fricker, L.D., see Klein, R.S., 300
Furukawa, K., see Takeda, A., 177

Gage, F.H., see Yoshida, K., 14
Garcia, S., see Descarries, L., 1
Geinisman, Y., Morrell, F. and deToledo-Morrell, L., Increase in the number of axospinous synapses with segmented postsynaptic densities following hippocampal kindling, 341
Gerstberger, R., see Kanosue, K., 268
Giorgi, O., Pibiri, M.G., Toso, R.D. and Ragatzu, G., Age-related changes in the turnover rates of D_1-dopamine receptors in the retina and in distinct areas of the rat brain, 323
Gold, P.W., see Smith, C.C., 295
Gomez-Ramos, P., Mufson, E.J. and Moran, M.A., Ultrastructural localization of acetylcholinesterase in neurofibrillary tangles, neuropil threads and senile plaques in aged and Alzheimer's brain, 229
Goode, J.A., see Kendrick, K.M., 199
Gruol, D.L., see Urrutia, A., 26
Gudeman, S.K., see Lyeth, B.G., 281
Güntürkün, O., see Deviche, P., 93

Hamm, R.J., see Lyeth, B.G., 281
Hauser, E., see Smith, C.C., 295
Hayes, R.L., see Lyeth, B.G., 281
Hazrati, L.-N. and Parent, A., Convergence of subthalamic and striatal efferents at pallidal level in primates: an anterograde double-labeling study with biocytin and PHA-L, 336
Hennessey, A.C., Whitman, D.C. and Albers, H.E., Microinjection of arginine-vasopressin into the periaqueductal gray stimulates flank marking in Syrian hamsters (*Mesocricetus auratus*), 136
Henry, J.L., see Hong, Y., 38
Hess, J., Lesser, D. and Landgraf, R., Vasopressin and oxytocin in brain areas of rats selectively bred for differences in behavioral performance, 106
Hildebrand, J.P., see Norman, A.B., 169
Hinton, M.R., see Kendrick, K.M., 199
Hoffman, G.E., see Olson, B.R., 238
Homma, S., see Akaishi, T., 86
Hong, Y. and Henry, J.L., Glutamate, NMDA and NMDA receptor antagonists: cardiovascular effects of intrathecal administration in the rat, 38

Itoh, T., see Akiyama, K., 71

Jenkins, L.W., see Lyeth, B.G., 281
Jensen, T.S. and Yaksh, T.L., The antinociceptive activity of excitatory amino acids in the rat brainstem: an anatomical and pharmacological analysis, 255
Jodo, E., see Kayama, Y., 210
Johnson, M.L., see Seil, F.J., 164
Jones, H.C., see Butt, A.M., 100

Kalayci, Ö., Cataltepe, S. and Cataltepe, O., The effect of bolus methylprednisolone in prevention of brain edema in hypoxic ischemic brain injury: an experimental study in 7-day-old rat pups, 112
Kalra, P.S., see Phelps, C.P., 159
Kalra, S.P., see Phelps, C.P., 159
Kane, J.M., see Moran, P.M., 156
Kanosue, K., Gerstberger, R., Simon-Oppermann, C. and Simon, E., Ionic responsiveness in third ventricular hypertonic stimulation of antidiuresis in ducks, 268
Kanzaki, A., Akiyama, K. and Otsuki, S., Subchronic methamphetamine treatment enhances ouabain-induced striatal dopamine efflux in vivo, 181
Kayama, Y., Ohta, M. and Jodo, E., Firing of 'possibly' cholinergic neurons in the rat laterodorsal tegmental nucleus during sleep and wakefulness, 210
Kendrick, K.M., Keverne, E.B., Hinton, M.R. and Goode, J.A., Oxytocin, amino acid and monoamine release in the region of the medial preoptic area and bed nucleus of the stria terminalis of the sheep during parturition and suckling, 199
Keverne, E.B., see Kendrick, K.M., 199
Klein, R.S. and Fricker, L.D., Heterogeneous expression of carboxypeptidase E

Brain Research, 569 (1992) 358–359
Elsevier

Author Index

Aceves, J., see Arias-Montaño, J.A., 317
Akaishi, T. and Homma, S., Hypothalamic osmoregulation for vasopressin release in streptozotocin-diabetic rats in vivo and in vitro, 86
Akiyama, K., Daigen, A., Yamada, N., Itoh, T., Kohira, I., Ujike, H. and Otsuki, S., Long-lasting enhancement of metabotropic excitatory amino acid receptor-mediated polyphosphoinositide hydrolysis in the amygdala/pyriform cortex of deep prepiriform cortical kindled rats, 71
Akiyama, K., see Kanzaki, A., 181
Aksentijevich, S., see Smith, C.C., 295
Albers, H.E., see Hennessey, A.C., 136
Araujo, D.M. and Cotman, C.W., β-Amyloid stimulates glial cells in vitro to produce growth factors that accumulate in senile plaques in Alzheimer's disease, 141
Arias-Montaño, J.A., Martínez-Fong, D. and Aceves, J., Glutamate stimulation of tyrosine hydroxylase is mediated by NMDA receptors in the rat striatum, 317

Barrett, R.K. and Underwood, H., The superior cervical ganglia are not necessary for entrainment or persistence of the pineal melatonin rhythm in Japanese quail, 249
Blatteis, C.M., see Xin, L., 348
Bourdon, V., see Damas, J., 63
Bruno, J.P., see Descarries, L., 1
Butt, A.M. and Jones, H.C., Effect of histamine and antagonists on electrical resistance across the blood–brain barrier in rat brain-surface microvessels, 100

Cairns, A., see Schneiderman, J.H., 287
Cataltepe, O., see Kalayci, Ö., 112
Cataltepe, S., see Kalayci, Ö., 112
Cechetto, D.F., see Oppenheimer, S.M., 221
Chiodera, P. and Coiro, V., Effects of intravenous infusion of substance P on arginine vasopressin and oxytocin secretion in normal men, 173
Chrousos, G.P., see Smith, C.C., 295
Chung, M.C., see Petito, C.K., 275
Coiro, V., see Chiodera, P., 173
Cooper, A.J.L., see Petito, C.K., 275
Cotman, C.W., see Araujo, D.M., 141
Crockett, D.P., see Maslany, S., 123

Daigen, A., see Akiyama, K., 71
Damas, J., Delrée, P. and Bourdon, V., Distribution of immunoreactive T-kininogen in rat nervous tissues, 63
De Blas, A.L., see Ewert, M., 57
Delrée, P., see Damas, J., 63
Descarries, L., Soghomonian, J.-J., Garcia, S., Doucet, G. and Bruno, J.P., Ultrastructural analysis of the serotonin hyperinnervation in adult rat neostriatum following neonatal dopamine denervation with 6-hydroxydopamine, 1
deToledo-Morrell, L., see Geinisman, Y., 341
Deviche, P. and Güntürkün, O., Peptides for calling? An immunohistochemical study of the avian n. intercollicularis, 93
Doucet, G., see Descarries, L., 1
Duncan, M.J. and Mead, R.A., Autoradiographic localization of binding sites for 2-[^{125}I]iodomelatonin in the pars tuberalis of the western spotted skunk (*Spilogale putorius latifrons*), 152

Egger, M.D., see Maslany, S., 123
Ewert, M., De Blas, A.L., Möhler, H. and Seeburg, P.H., A prominent epitope on $GABA_A$ receptors is recognized by two different monoclonal antibodies, 57

Farningham, D.A.H., see Mercer, J.G., 311
Favarato, M., Zatta, P., Perazzolo, M., Fontana, L. and Nicolini, M., Aluminum-(III) influences the permeability of the blood–brain barrier to [^{14}C]sucrose in rats, 330
Fontana, L., see Favarato, M., 330
Fricker, L.D., see Klein, R.S., 300
Furukawa, K., see Takeda, A., 177

Gage, F.H., see Yoshida, K., 14
Garcia, S., see Descarries, L., 1
Geinisman, Y., Morrell, F. and deToledo-Morrell, L., Increase in the number of axospinous synapses with segmented postsynaptic densities following hippocampal kindling, 341
Gerstberger, R., see Kanosue, K., 268
Giorgi, O., Pibiri, M.G., Toso, R.D. and Ragatzu, G., Age-related changes in the turnover rates of D_1-dopamine receptors in the retina and in distinct areas of the rat brain, 323
Gold, P.W., see Smith, C.C., 295
Gomez-Ramos, P., Mufson, E.J. and Moran, M.A., Ultrastructural localization of acetylcholinesterase in neurofibrillary tangles, neuropil threads and senile plaques in aged and Alzheimer's brain, 229
Goode, J.A., see Kendrick, K.M., 199
Gruol, D.L., see Urrutia, A., 26
Gudeman, S.K., see Lyeth, B.G., 281
Güntürkün, O., see Deviche, P., 93

Hamm, R.J., see Lyeth, B.G., 281
Hauser, E., see Smith, C.C., 295
Hayes, R.L., see Lyeth, B.G., 281
Hazrati, L.-N. and Parent, A., Convergence of subthalamic and striatal efferents at pallidal level in primates: an anterograde double-labeling study with biocytin and PHA-L, 336
Hennessey, A.C., Whitman, D.C. and Albers, H.E., Microinjection of arginine-vasopressin into the periaqueductal gray stimulates flank marking in Syrian hamsters (*Mesocricetus auratus*), 136
Henry, J.L., see Hong, Y., 38
Hess, J., Lesser, D. and Landgraf, R., Vasopressin and oxytocin in brain areas of rats selectively bred for differences in behavioral performance, 106
Hildebrand, J.P., see Norman, A.B., 169
Hinton, M.R., see Kendrick, K.M., 199
Hoffman, G.E., see Olson, B.R., 238
Homma, S., see Akaishi, T., 86
Hong, Y. and Henry, J.L., Glutamate, NMDA and NMDA receptor antagonists: cardiovascular effects of intrathecal administration in the rat, 38

Itoh, T., see Akiyama, K., 71

Jenkins, L.W., see Lyeth, B.G., 281
Jensen, T.S. and Yaksh, T.L., The antinociceptive activity of excitatory amino acids in the rat brainstem: an anatomical and pharmacological analysis, 255
Jodo, E., see Kayama, Y., 210
Johnson, M.L., see Seil, F.J., 164
Jones, H.C., see Butt, A.M., 100

Kalayci, Ö., Cataltepe, S. and Cataltepe, O., The effect of bolus methylprednisolone in prevention of brain edema in hypoxic ischemic brain injury: an experimental study in 7-day-old rat pups, 112
Kalra, P.S., see Phelps, C.P., 159
Kalra, S.P., see Phelps, C.P., 159
Kane, J.M., see Moran, P.M., 156
Kanosue, K., Gerstberger, R., Simon-Oppermann, C. and Simon, E., Ionic responsiveness in third ventricular hypertonic stimulation of antidiuresis in ducks, 268
Kanzaki, A., Akiyama, K. and Otsuki, S., Subchronic methamphetamine treatment enhances ouabain-induced striatal dopamine efflux in vivo, 181
Kayama, Y., Ohta, M. and Jodo, E., Firing of 'possibly' cholinergic neurons in the rat laterodorsal tegmental nucleus during sleep and wakefulness, 210
Kendrick, K.M., Keverne, E.B., Hinton, M.R. and Goode, J.A., Oxytocin, amino acid and monoamine release in the region of the medial preoptic area and bed nucleus of the stria terminalis of the sheep during parturition and suckling, 199
Keverne, E.B., see Kendrick, K.M., 199
Klein, R.S. and Fricker, L.D., Heterogeneous expression of carboxypeptidase E

and proenkephalin mRNAs by cultured astrocytes, 300
Kogure, K., see Takeda, A., 177
Kohira, I., see Akiyama, K., 71

Landgraf, R., see Hess, J., 106
Lawrence, C.B., see Mercer, J.G., 311
Leff, A., see Smith, C.C., 295
Lepinski, D.L., see Pellmar, T.C., 189
Lesser, D., see Hess, J., 106
Li, H. and Satinoff, E., Effects of *p*-chlorophenylalanine on thermoregulation and sleep in rats, 46
Lyeth, B.G., Ray, M., Hamm, R.J., Schnabel, J., Saady, J.J., Poklis, A., Jenkins, L.W., Gudeman, S.K.and Hayes, R.L., Postinjury scopolamine administration in experimental traumatic brain injury, 281

Martínez-Fong, D., see Arias-Montaño, J.A., 317
Maslany, S., Crockett, D.P. and Egger, M.D., Organization of cutaneous primary afferent fibers projecting to the dorsal horn in the rat: WGA-HRP versus B-HRP, 123
Mead, R.A., see Duncan, M.J., 152
Mercer, J.G., Farningham, D.A.H. and Lawrence, C.B., Effect of neonatal capsaicin treatment on cholecystokinin-(CCK8) satiety and axonal transport of CCK binding sites in the rat vagus nerve, 311
Möhler, H., see Ewert, M., 57
Moran, M.A., see Gomez-Ramos, P., 229
Moran, P.M., Kane, J.M. and Moser, P.C., Enhancement of working memory performance in the rat by MDL 26,479, a novel compound with activity at the $GABA_A$ receptor complex, 156
Morrell, F., see Geinisman, Y., 341
Moser, P.C., see Moran, P.M., 156
Mufson, E.J., see Gomez-Ramos, P., 229

Nicolini, M., see Favarato, M., 330
Nilaver, G., see Seil, F.J., 164
Nishi, R., see Seil, F.J., 164
Norgren, R.B., see Norman, A.B., 169
Norman, A.B., Norgren, R.B., Wyatt, L.M., Hildebrand, J.P. and Sanberg, P.R., The direction of apomorphine-induced rotation behavior is dependent on the location of excitotoxin lesions in the rat basal ganglia, 169

Obinata, M., see Takeda, A., 177
Ohta, M., see Kayama, Y., 210
Olson, B.R., Hoffman, G.E., Sved, A.F., Stricker, E.M. and Verbalis, .G., Cholecystokinin induces c-*fos* expression in hypothalamic oxytocinergic neurons projecting to the dorsal vagal complex, 238
Onodera, H., see Takeda, A., 177
Oppenheimer, S.M., Saleh, T.M., Wilson, J.X. and Cechetto, D.F., Plasma and organ catecholamine levels following stimulation of the rat insular cortex, 221
Otsuki, S., see Akiyama, K., 71
Otsuki, S., see Kanzaki, A., 181

Parent, A., see Hazrati, L.-N., 336
Pellmar, T.C. and Lepinski, D.L., Electrophysiological consequences of exposure of hippocampal slices to dihydroxyfumarate, a generator of superoxide radicals, 189
Perazzolo, M., see Favarato, M., 330
Petito, C.K., Chung, M.C., Verkhovsky, L.M. and Cooper, A.J.L., Brain glutamine synthetase increases following cerebral ischemia in the rat, 275
Phelps, C.P., Kalra, S.P. and Kalra, P.S., In vivo pulsatile LHRH release into the anterior pituitary of the male rat: effects of castration, 159
Pibiri, M.G., see Giorgi, O., 323
Poklis, A., see Lyeth, B.G., 281
Pritz, M.B. and Stritzel, M.E., A second auditory area in the non-cortical telencephalon of a reptile, 146

Quadri, F., see Stadler, T., 117

Ragatzu, G., see Giorgi, O., 323
Ray, M., see Lyeth, B.G., 281
Reed, G.D., see Robinson, G.B., 78
Renaud, N.K., see Smith, C.C., 295
Ribak, C.E., see Seress, L., 353
Robinson, G.B. and Reed, G.D., Effect of MK-801 on the induction and subsequent decay of long-term potentiation in the unanesthetized rabbit hippocampal dentate gyrus, 78

Saady, J.J., see Lyeth, B.G., 281
Saleh, T.M., see Oppenheimer, S.M., 221
Sanberg, P.R., see Norman, A.B., 169
Satinoff, E., see Li, H., 46
Schnabel, J., see Lyeth, B.G., 281
Schneiderman, J.H., Cairns, A. and Sterling, C.A., Evoked CA3 field potentials corresponding to both EPSPs and IPSPs in hippocampal slice, 287
Seeburg, P.H., see Ewert, M., 57
Seil, F.J., Johnson, M.L., Nishi, R. and Nilaver, G., Tyrosine hydroxylase expression in non-catecholaminergic cells in cerebellar cultures, 164
Seress, L. and Ribak, C.E., Ultrastructural features of primate granule cell bodies show important differences from those of rats: axosomatic synapses, somatic spines and infolded nuclei, 353
Shibahara, S., see Takeda, A., 177
Simon, E., see Kanosue, K., 268
Simon-Oppermann, C., see Kanosue, K., 268
Smith, C.C., Hauser, E., Renaud, N.K., Leff, A., Aksentijevich, S., Chrousos, G.P., Wilder, R.L., Gold, P.W. and Sternberg, E.M., Increased hypothalamic [^{3}H]flunitrazepam binding in hypothalamic–pituitary–adrenal axis hyporesponsive Lewis rats, 295
Soghomonian, J.-J., see Descarries, L., 1
Stadler, T., Veltmar, A., Quadri, F. and Unger, T., Angiotensin II evokes noradrenaline release from the paraventricular nucleus in conscious rats, 117
Sterling, C.A., see Schneiderman, J.H., 287
Sternberg, E.M., see Smith, C.C., 295
Stricker, E.M., see Olson, B.R., 238
Stritzel, M.E., see Pritz, M.B., 146
Sved, A.F., see Olson, B.R., 238

Takeda, A., Onodera, H., Yamasaki, Y., Furukawa, K., Kogure, K., Obinata, M. and Shibahara, S., Decreased expression of neurotrophin-3 mRNA in the rat hippocampus following transient forebrain ischemia, 177
Toso, R.D., see Giorgi, O., 323

Ujike, H., see Akiyama, K., 71
Underwood, H., see Barrett, R.K., 249
Unger, T., see Stadler, T., 117
Urrutia, A. and Gruol, D.L., Acute alcohol alters the excitability of cerebellar Purkinje neurons and hippocampal neurons in culture, 26

Veltmar, A., see Stadler, T., 117
Verbalis, .G., see Olson, B.R., 238
Verkhovsky, L.M., see Petito, C.K., 275

Whitman, D.C., see Hennessey, A.C., 136
Wilder, R.L., see Smith, C.C., 295
Wilson, J.X., see Oppenheimer, S.M., 221
Wyatt, L.M., see Norman, A.B., 169

Xin, L. and Blatteis, C.M., Blockade by interleukin-1 receptor antagonist of IL-1β-induced neuronal activity in guinea pig preoptic area slices, 348

Yaksh, T.L., see Jensen, T.S., 255
Yamada, N., see Akiyama, K., 71
Yamasaki, Y., see Takeda, A., 177
Yoshida, K. and Gage, F.H., Cooperative regulation of nerve growth factor synthesis and secretion in fibroblasts and astrocytes by fibroblast growth factor and other cytokines, 14

Zatta, P., see Favarato, M., 330